

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	Color	QTY.
1	SK-15B-02	-	BASE	GFR/PC	LIGHT GRAY	1
2	SK-15C-03	-	COVER	PC	CLEAR	1
3	SK-KIT-04	-	HARDWARE KIT			1
3.1	SCREWS-015	-	ASSEMBLY FASTENER	GFR/PA6	BLACK	4
3.2	SK-CAP-02	-	SCREW HEAD CAP		CLEAR	4

PART NUMBER: SK-15-03
FLAME RATING: 5VA per UL50/UL746C

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES [mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±
THREE PLACE DECIMAL: ±
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: SK-15

PART NO.
SEE BOM

MATERIAL
SEE BOM

FLAME RATING
SEE BOM

SIZE
B

SCALE: 1:1

DRAWN
CHECKED

NAME
B.M.B.

DATE
9/8/2015

REV
-

SHEET 2 OF 2

polycase

1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088




BOM Table					
ITEM NO.	PART NUMBER	Rev.	Description	Material	QTY.
1	SK-15P	1	MOUNTING PANEL	AL 5052-H32	1
2	SK-97S	-	SPACERS WITH RUNNER	PS	1
3	SCREWS-024	-	M3.85x1.8 SPAX X 13mm, PAN HEAD, PHILLIPS/SLOTTED	QSt36-3	4

D

C

B

A



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: $\pm 2^{\circ}$
TWO PLACE DECIMAL: $\pm .010$
THREE PLACE DECIMAL: $\pm .005$
PRINTED GRAPHICS: $\pm .010$

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: SK-15K

PART NO.
SK-15K
MATERIAL

FLAME RATING

SIZE
A

MOUNTING PLATE KIT

REV
1

	NAME	DATE
DRAWN	D.M.F.	10/16/2015
CHECKED	B.M.B.	10/22/2015

SCALE: 1:1



SHEET 1 OF 1

1	REVISED PANEL		C.C.B.	C.C.B.	9/29/2017
REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					


5

4


3

2

1



NOTES:
1. BREAK ALL EDGES .005 MAX

						UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010				PART NO. SK-15P				<div><div>polycase</div><div>1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088</div></div>						
						PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: SK-15P				MATERIAL AL 5052-H32										
1		2.853 WAS 3.365 4.270 WAS 4.782 4X .201 WAS 4X .457 (2 PLACES)				C2, D2, D4	C.C.B.	C.C.B.	9/12/2017		FLAME RATING			SIZE A	MOUNTING PANEL			REV 1		
REV.		DESCRIPTION				ZONE	BY	APPR'D	DATE		DRAWN CHECKED		NAME D.M.F. B.M.B.	DATE 9/11/2015 10/22/2015		SCALE: 1:1			SHEET 1 OF 1	
REVISIONS																				

5

4

3

2

1



D


C

B

A

BOM Table					
ITEM NO.	PART NUMBER	Rev.	Description	Material	QTY.
1	SK-97S	-	SPACERS WITH RUNNER	PS	1
2	SCREWS-024	-	M3.85x1.8 SPAX X 13mm, PAN HEAD, PHILLIPS/SLOTTED	QSt36-3	4



<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: SK-97</div>						PART NO. SK-97		<div><div>polycase</div><div>1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH#: 1-800-246-1233, 440-934-0444 FAX#: 440-934-0086</div></div>			
						MATERIAL					
						FLAME RATING		SIZE A	SPACER KIT		REV -
						DRAWN CHECKED	NAME D.M.F. B.M.B.	DATE 9/16/2015 9/17/2015	SCALE: 1:1		
REV.	DESCRIPTION				ZONE	BY	APPR'D	DATE	REVISIONS		

REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					

5

4

3

2

1