


6

BOM Table											
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.				
1	WA-25B*16	-	WA BASE, W/MOUNTING BOSSES	ABS	UL94-HB (UL FILE E56070)	DARK GRAY	1				
2	WA-25C*16	-	WA COVER, W/GASKET	ABS	UL94-HB (UL FILE E56070)	DARK GRAY	1				
3	SCREWS-SSM4-20-6	-	ASSEMBLY SCREWS, 6 PACK				1				
3.1	SCREWS-SSM4-20	ı	M4X0.7 X 20mm OAL, PHILLIPS DRIVE MACHINE SCREW	STAINLESS STEEL			6				



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°

WA-25*16 nolycase

						TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010	MATERIAL			P	1305 CHESTER IND. PAI PH#: 1-800-248-123		OHIO 44011-1083 U.S.A 4 FAX#: 440-934-0088
						PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN	FLAME R UL94-HB	RATING	SIZE		INIT, W/MOUNTII , WITH GASKET, [GRAY		REV •
REV.	DESCRIPTION REVISIONS	ZONE	BY	APPR'D	DATE	PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: WA-25+16	DRAWN CHECKED	D.M.F. 7/18/2011 C.C.B. 8/9/2011	SCA	LE: 1:1	$\oplus \Box$	SHE	ET 1 OF 1

