







BOM Table						
ITEM NO.	PART NUMBER	DESCRIPTION	Material	Color	Flame Rating	QTY.
1	WP-42B*15	WP BASE, W/PCB BOSSES	POLYCARBONATE	LIGHT GRAY	UL94-HB (UL FILE E41613)	1
2	WP-42C*15	WP COVER, W/GASKET	POLYCARBONATE	LIGHT GRAY	UL94-HB (UL FILE E41613)	1
3	SCREWS-SSM4-25-6	ASSEMBLY SCREWS, 6 PACK				1
3.1	SCREWS-SSM4-25	M4X0.7 X 25mm OAL, PHILLIPS DRIVE MACHINE SCREW	STAINLESS STEEL			6




SECTION A-A




WP-42B*15-PCB: PCB TEMPLATE FOR WP-42B*15


- NOTES:
- ENCLOSURE DESIGNED TO NEMA 1, 2, 4, 4X, 12, 13.
 - UL LISTED TO UL508-4X SPECIFICATIONS (UL FILE E194432).
 - SERVICE TEMPERATURE: -40°C TO 120°C
 - MOUNTING FLANGE KITS ARE AVAILABLE FROM POLYCASE.


REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES(MM) TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010					
PROPERTY AND CONFIDENTIALITY THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CADD FILE: WP-42B*15					
PART NO. WP-42*15 MATERIAL			FLAME RATING		SIZE
			NAME		DATE
			DRAWN		8/29/2011
			CHECKED		3/11/2011
			SCALE: 1:1		SHEET 1 OF 1




REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES/INCHES TOLERANCES: ANGULAR: ± 7° TWO PLACE DECIMAL: ± .01 THREE PLACE DECIMAL: ± .005 PRINTED GRAPHICS: ± 0.01	PART NO. WP-42B-15			
	MATERIAL POLYCARBONATE			
	FLAME RATING UL94-HB (UL FILE E41613)		SIZE W BASE, W/PCCS BOSSES	REV -
	DRAWN CHECKED			
I HEREBY CERTIFY THAT THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCARB. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCARB IS PROHIBITED.		SCALE: 1:1		SHEET 1 OF 1





NOTES:
1. INCLUDES .030 CLEARANCE FROM INTERIOR OF WP-42B*15

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. WP-42B*15-PCB		<div>polycase</div> <div>1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</div>			
		MATERIAL					
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: WP-42B*15-PCB		FLAME RATING		SIZE C	PCB TEMPLATE FOR WP- 42B*15	REV -	
		DRAWN		NAME D.M.F.	DATE 8/29/2011		SHEET 1 OF 1
		CHECKED		C.C.B.	9/14/2011		

Enable 3D View