

REV.	COMMENT	ZONE	REVISED BY	CREATION DATE
1	added -40-45 & -90-95 & flame rating		Douglas French	7-30-2024
0			Douglas French	9-6-2022

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-040404

PART NO. ZH-040404-01	
MATERIAL	
FLAME RATING	SIZE C
-	
DRAWN CHECKED	NAME DATE D.M.F. 5/1/2020 B.M.B. 6/2/2021

polycase
1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088


HINGED ENCLOSURE

SCALE: 1:2


REV
0


SHEET 1 OF 13

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
1	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY 4
2	ZH-01L	0	LATCH ASSEMBLY	304SS		1
3	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY 4
4	ZH-04043BI-01	1	HINGED BASE W/INSERTS			1
4.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY 1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
4.3	LABEL-104	0	UL LABEL			1
5	ZH-04041CG-01	1	HINGED COVER W/GASKET			1
5.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY 1
5.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK 1
6	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW			4




BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
11	ZH-01L	0	LATCH ASSEMBLY	304SS		1
12	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY 4
13	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY 4
14	ZH-04043BI-01	1	HINGED BASE W/INSERTS			1
14.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY 1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
14.3	LABEL-104	0	UL LABEL			1
15	ZH-04041CG-02	1	HINGED COVER W/GASKET			1
15.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR 1
15.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK 1
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW			4




<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404</div>	PART NO. ZH-040404-01		<div><div><div>polycase</div><div>1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</div></div></div>		
	MATERIAL				
	FLAME RATING -		SIZE C	HINGED ENCLOSURE REV 0	
	DRAWN CHECKED	NAME D.M.F. B.M.B.	DATE 5/1/2020 6/2/2021	SCALE: 1:1.5 	SHEET 2 OF 13

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
1.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
11.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
11.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
12	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8




ZH-040404-03




ZH-040404-07

8		7		6		5	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY
1	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
2	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
3	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
3.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
3.3	LABEL-104	0	UL LABEL				1
4	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




4		3		2		1	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
12	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
13	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
13.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
13.3	LABEL-104	0	UL LABEL				1
14	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
14.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
14.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-040404-33		polycase 1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088		
		MATERIAL				
		FLAME RATING -		SIZE C	HINGED ENCLOSURE	
		DRAWN CHECKED				
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404		NAME D.M.F.	DATE 5/1/2020	SCALE: 1:1.5		
		B.M.B.	6/2/2021			
				REV 0		
				SHEET 4 OF 13		


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			1
3	ZH-04F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
4	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
4.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
4.3	LABEL-104	0	UL LABEL				1
5	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
5.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
5.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
6	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-040404-02




SCALE 1 : 2





SCALE 1 : 2


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-01L	0	LATCH ASSEMBLY	304SS			1
12	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
13	ZH-04F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
14	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
14.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
14.3	LABEL-104	0	UL LABEL				1
15	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
15.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
15.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-040404-06


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-040404-02		 1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404		MATERIAL			
FLAME RATING		SIZE		HINGED ENCLOSURE	
-		C		REV 0	
DRAWN		NAME	DATE	SCALE: 1:1.5	
CHECKED		D.M.F.	5/1/2020		
		B.M.B.	6/2/2021	 SHEET 5 OF 13	

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
1.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
2	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
2.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
2.3	LABEL-104	0	UL LABEL				1
3	ZH-04F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8




ZH-040404-04


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
11.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
11.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
12	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	ZH-04F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-040404-08


<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404</div>	PART NO. ZH-040404-04		<div><div><div>poly</div><div>case</div></div><div>1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</div></div>	
	MATERIAL			
	FLAME RATING		SIZE	HINGED ENCLOSURE
	-		C	REV
				0
DRAWN	NAME	DATE		
CHECKED	B.M.B.	5/1/2020 6/2/2021		
		SCALE: 1:1.5		
			SHEET 6 OF 13	

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
2	ZH-04F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
3	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
3.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
3.3	LABEL-104	0	UL LABEL				1
4	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




ZH-040404-34

4		3		2		1	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
12	ZH-04F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
13	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
13.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
13.3	LABEL-104	0	UL LABEL				1
14	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
14.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
14.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-040404-38


<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404</div>	PART NO. ZH-040404-34		<div><div>polycase</div><div>1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</div></div>						
	MATERIAL								
	FLAME RATING		SIZE	HINGED ENCLOSURE					
	-		C	REV					
				0					
<table><tr><td>DRAWN</td><td>NAME</td><td>DATE</td></tr><tr><td>CHECKED</td><td>B.M.B.</td><td>5/1/2020 6/2/2021</td></tr></table>		DRAWN	NAME	DATE	CHECKED	B.M.B.	5/1/2020 6/2/2021	SCALE: 1:1.5	 SHEET 7 OF 13
DRAWN	NAME	DATE							
CHECKED	B.M.B.	5/1/2020 6/2/2021							

8


7

6

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-01L	0	LATCH ASSEMBLY	304SS			1
2	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
3	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
3.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
3.3	LABEL-104	0	UL LABEL				1
4	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
5	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
6	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
11.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
14	ZH-01L	0	LATCH ASSEMBLY	304SS			1
15	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
16	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-040404-40		MATERIAL	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404		FLAME RATING -		SIZE C	
DRAWN CHECKED		NAME D.M.F. B.M.B.		DATE 5/1/2020 6/2/2021	
SCALE: 1:1.5		HINGED ENCLOSURE		REV 0	
				SHEET 8 OF 13	


F

8		7		6		5	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
1.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
4	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
5	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-040404-41


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
11.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
11.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
12	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
14	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
15	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-040404-43


F

8		7		6		5	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
1.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
4	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
5	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4



ZH-040404-44

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
11.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
11.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
12	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
14	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
15	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4



ZH-040404-45

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-040404

PART NO.
ZH-040404-44

MATERIAL

FLAME RATING
-

DRAWN
CHECKED

NAME
D.M.F.
B.M.B.

DATE
5/1/2020
6/2/2021

SIZE
C

SCALE: 1:1.5

HINGED ENCLOSURE

REV
0

1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088


SHEET 10 OF 13

8


7



6

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-01L	0	LATCH ASSEMBLY	304SS			1
2	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
3	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
3.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
3.3	LABEL-104	0	UL LABEL				1
4	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
5	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4





BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
11.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			1
14	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
15	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
15.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
15.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1




<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-040404</div>		PART NO. ZH-040404-90		<div> 1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</div>								
		MATERIAL										
		FLAME RATING -		SIZE C	HINGED ENCLOSURE	REV 0						
		<table><tr><td>DRAWN</td><td>D.M.F.</td><td>5/1/2020</td></tr><tr><td>CHECKED</td><td>B.M.B.</td><td>6/2/2021</td></tr></table>					DRAWN	D.M.F.	5/1/2020	CHECKED	B.M.B.	6/2/2021
		DRAWN	D.M.F.				5/1/2020					
CHECKED	B.M.B.	6/2/2021										
		SCALE: 1:1.5		SHEET 11 OF 13								

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
1.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
4	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
11.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
11.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
12	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
14	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4




<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</p> <p>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.</p> <p>CAD FILE: ZH-040404</p>		<p>PART NO. ZH-040404-91</p>		<div><p>1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</p></div>	
		<p>MATERIAL</p>			
		<p>FLAME RATING -</p>			
		<p>SIZE C</p>			
		<p>HINGED ENCLOSURE</p>			
		<p>REV 0</p>			
<p>DRAWN CHECKED</p>		<p>NAME D.M.F. B.M.B.</p>	<p>DATE 5/1/2020 6/2/2021</p>	<p>SCALE: 1:1.5</p>	
				<p>SHEET 12 OF 13</p>	

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
1.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-04041CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-04041C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-04041CG-02	1	HINGED COVER W/GASKET				1
11.1	ZH-04041C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
11.2	ZH-0404G	0	GASKET	NEOPRENE		BLACK	1
12	ZH-04043BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-04043B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
14	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4



ZH-040404-94



ZH-040404-95

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-040404

PART NO.
ZH-040404-94

MATERIAL

FLAME RATING
-

DRAWN
CHECKED

NAME
D.M.F.
B.M.B.

DATE
5/1/2020
6/2/2021

SIZE
C

SCALE: 1:1.5

HINGED ENCLOSURE

REV
0

1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088

SHEET 13 OF 13