
















SECTION B-B



SECTION A-A



SCALE 1 : 3.5

REV.	COMMENT	ZONE	REVISED BY	CREATION DATE
0			Douglas French	8/24/2026

REVISIONS

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SIZE
C

SCALE: 1:3


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-348-1233, 440-934-0444 FAX#: 440-934-0088

HINGED ENCLOSURE

REV
0


SHEET 1 OF 14

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			2
3	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
4	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
5	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
5.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
5.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
5.3	LABEL-104-01	0	UL LABEL				1
6	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-01

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
14	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
14.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
14.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
15	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
15.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
15.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
15.3	LABEL-104-01	0	UL LABEL				1
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-05

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 2 OF 14


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104-01	0	UL LABEL				1
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-121002-03

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104-01	0	UL LABEL				1
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-121002-07

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE


REV
0

	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
2	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
3	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
3.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
4	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
4.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
4.3	LABEL-104-01	0	UL LABEL				1
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-33

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
12	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
13	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
13.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
13.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
14	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
14.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
14.3	LABEL-104-01	0	UL LABEL				1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-37

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010
PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C


HINGED ENCLOSURE


REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026


SCALE: 1:2.5


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088













SECTION D-D




SECTION C-C



SCALE 1 : 3.5


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010	PART NO. AS NOTED			polycase 1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088	
	MATERIAL				
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.	FLAME RATING -		SIZE C	HINGED ENCLOSURE	REV 0
		NAME	DATE		
CAD FILE: ZH-121002	DRAWN	D.M.F.	8/24/2026	SCALE: 1:3	SHEET 5 OF 14
	CHECKED	B.M.B.	8/24/2026		

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			2
3	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
3.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
4	ZH-10F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
5	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
5.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
5.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
5.3	LABEL-104-01	0	UL LABEL				1
6	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-02

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
13.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
13.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
14	ZH-10F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
15	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
15.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
15.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
15.3	LABEL-104-01	0	UL LABEL				1
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-06

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 6 OF 14


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104-01	0	UL LABEL				1
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-10F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-121002-04

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104-01	0	UL LABEL				1
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-10F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-121002-08

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 7 OF 14


polycase
1306 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-10F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
4	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
4.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
4.3	LABEL-104-01	0	UL LABEL				1
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-34

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-10F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
14	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
14.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
14.3	LABEL-104-01	0	UL LABEL				1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-121002-38

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 8 OF 14


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			2
3	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
3.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
4	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
4.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
4.3	LABEL-104-01	0	UL LABEL				1
5	ZH-91F-01	3	MOUNTING FOOT	304SS		-	4
6	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4




ZH-121002-40


BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
13.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
13.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
14	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
14.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
14.3	LABEL-104-01	0	UL LABEL				1
15	ZH-91F-01	3	MOUNTING FOOT	304SS		-	4
16	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-42



ZH-121002-40



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SIZE C

HINGED ENCLOSURE


REV 0

SCALE: 1:2.5

SHEET 9 OF 14


polycase
1306 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104-01	0	UL LABEL				1
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
4	ZH-91F-01	3	MOUNTING FOOT	304SS		-	4
5	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-41

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104-01	0	UL LABEL				1
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
14	ZH-91F-01	3	MOUNTING FOOT	304SS		-	4
15	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-43

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088


SIZE C

HINGED ENCLOSURE

REV 0


SCALE: 1:2.5

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104-01	0	UL LABEL				1
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
4	ZH-91F-01	3	MOUNTING FOOT	304SS		-	4
5	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-44

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104-01	0	UL LABEL				1
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
14	ZH-91F-01	3	MOUNTING FOOT	304SS		-	4
15	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-45

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SIZE
C

HINGED ENCLOSURE


REV
0

SCALE: 1:2.5

SHEET 11 OF 14


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			2
3	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
3.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
4	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
4.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
4.3	LABEL-104-01	0	UL LABEL				1
5	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-90

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
13.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
13.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
14	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
14.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
14.3	LABEL-104-01	0	UL LABEL				1
15	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-92

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 12 OF 14


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104-01	0	UL LABEL				1
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
4	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-91

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104-01	0	UL LABEL				1
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
14	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-93

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0


	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 13 OF 14


polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104-01	0	UL LABEL				1
2	ZH-12101CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
4	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-94

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12102BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-12102B-01	1	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104-01	0	UL LABEL				1
12	ZH-12101CG-02	1	HINGED COVER W/GASKET				1
12.1	ZH-12101C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1210G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
14	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4



ZH-121002-95

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: ZH-121002

PART NO.
AS NOTED

MATERIAL

FLAME RATING
-

SIZE
C

HINGED ENCLOSURE

REV
0

	NAME	DATE
DRAWN	D.M.F.	8/24/2026
CHECKED	B.M.B.	8/24/2026

SCALE: 1:2.5

SHEET 14 OF 14

polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088