








F
E
D
C
B
A




SCALE 1 : 3.5

REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-121004-01		MATERIAL	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-121004		FLAME RATING -	SIZE C	HINGED ENCLOSURE	
DRAWN CHECKED		NAME D.M.F.	DATE 5/6/2020 12/31/2999	SCALE: 1:3	REV -

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
1	ZH-95P	-	HOLE PLUG	NYLON		LIGHT GRAY 4
2	ZH-01L	-	LATCH ASSEMBLY	304SS		2
3	ZH-01F-01	-	MOUNTING FOOT	PC	5VA	LIGHT GRAY 4
4	SCREWS-046	-	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST		4
5	ZH-12101CG-01	-	HINGED COVER W/GASKET			1
5.1	ZH-12101C-01	-	COVER, HINGED	PC	5VA	LIGHT GRAY 1
5.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK 1
6	ZH-12104BI-01	1	HINGED BASE W/INSERTS			1
6.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY 1
6.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
6.3	LABEL-104	-	UL LABEL			1




ZH-121004-01

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
11	ZH-95P	-	HOLE PLUG	NYLON		LIGHT GRAY 4
12	ZH-01L	-	LATCH ASSEMBLY	304SS		2
13	ZH-01F-01	-	MOUNTING FOOT	PC	5VA	LIGHT GRAY 4
14	SCREWS-046	-	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST		4
15	ZH-12101CG-02	-				1
15.1	ZH-12101C-02	-	COVER, HINGED	PC	5VA	CLEAR 1
15.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK 1
16	ZH-12104BI-01	1	HINGED BASE W/INSERTS			1
16.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY 1
16.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
16.3	LABEL-104	-	UL LABEL			1




ZH-121004-05

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
1.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
1.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	-	UL LABEL				1
2	ZH-12101CG-01	-	HINGED COVER W/GASKET				1
2.1	ZH-12101C-01	-	COVER, HINGED	PC	5VA	LIGHT GRAY	1
2.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
3	ZH-01F-01	-	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
4	SCREWS-046		#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			8



ZH-121004-03

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
11.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
11.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	-	UL LABEL				1
12	ZH-12101CG-02	-					1
12.1	ZH-12101C-02	-	COVER, HINGED	PC	5VA	CLEAR	1
12.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
13	ZH-01F-01	-	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
14	SCREWS-046		#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			8



ZH-121004-07

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-121004

PART NO.
ZH-121004-03

MATERIAL

FLAME RATING
-

SIZE
C

1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

HINGED ENCLOSURE

DRAWN
CHECKED

NAME
D.M.F.


DATE
5/6/2020
12/31/2999

SCALE: 1:2.5

REV
-


SHEET 3 OF 8

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-01F-01	-	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
2	SCREWS-046	-	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			4
3	SCREWS-047	-	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
4	ZH-12101CG-01	-	HINGED COVER W/GASKET				1
4.1	ZH-12101C-01	-	COVER, HINGED	PC	5VA	LIGHT GRAY	1
4.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
5	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
5.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
5.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
5.3	LABEL-104	-	UL LABEL				1



ZH-121004-33

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-01F-01	-	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
12	SCREWS-046	-	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			4
13	SCREWS-047	-	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
14	ZH-12101CG-02	-	HINGED COVER W/GASKET				1
14.1	ZH-12101C-02	-	COVER, HINGED	PC	5VA	CLEAR	1
14.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
15	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
15.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
15.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
15.3	LABEL-104	-	UL LABEL				1



ZH-121004-37

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-121004

PART NO.
ZH-121004-33

MATERIAL

FLAME RATING
-

SIZE
C

NAME
D.M.F.

DATE
5/6/2020

DRAWN
CHECKED

-

12/31/2999


1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088


HINGED ENCLOSURE

REV
-


SCALE: 1:2.5

SHEET 4 OF 8




<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-121004</div>				PART NO.		<div>polycase</div> <div>1300 CHESTER N.W. PARKWAY AVE. OHIO 44011-1083 U.S.A. PH: 1-800-246-1233 FAX: 440-354-0058</div>			
				ZH-121004-02					
				MATERIAL		HINGED ENCLOSURE			
				FLAME RATING		REV			
-		C		-					
<table><tr><td>NAME</td><td>DATE</td></tr><tr><td>D.M.F.</td><td>5/6/2020</td></tr></table>		NAME	DATE	D.M.F.	5/6/2020	SCALE: 1:3			
NAME	DATE								
D.M.F.	5/6/2020								
<table><tr><td>DRAWN</td><td>CHECKED</td></tr><tr><td></td><td>12/31/2999</td></tr></table>		DRAWN	CHECKED		12/31/2999			SHEET 5 OF 8	
DRAWN	CHECKED								
	12/31/2999								

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	-	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	-	LATCH ASSEMBLY	304SS			2
3	SCREWS-046		#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			4
4	ZH-12101CG-01	-	HINGED COVER W/GASKET				1
4.1	ZH-12101C-01	-	COVER, HINGED	PC	5VA	LIGHT GRAY	1
4.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
5	ZH-10F-01	-	MOUNTING FLANGE	PC	5VA	LIGHT GRAY	2
6	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
6.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
6.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
6.3	LABEL-104	-	UL LABEL				1



ZH-121004-02


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	-	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	-	LATCH ASSEMBLY	304SS			2
13	SCREWS-046		#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			4
14	ZH-12101CG-02	-					1
14.1	ZH-12101C-02	-	COVER, HINGED	PC	5VA	CLEAR	1
14.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
15	ZH-10F-01	-	MOUNTING FLANGE	PC	5VA	LIGHT GRAY	2
16	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
16.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
16.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
16.3	LABEL-104	-	UL LABEL				1




ZH-121004-06

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	SCREWS-046		#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			8
2	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
2.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
2.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
2.3	LABEL-104	-	UL LABEL				1
3	ZH-12101CG-01	-	HINGED COVER W/GASKET				1
3.1	ZH-12101C-01	-	COVER, HINGED	PC	5VA	LIGHT GRAY	1
3.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
4	ZH-10F-01	-	MOUNTING FLANGE	PC	5VA	LIGHT GRAY	2

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	SCREWS-046		#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			8
12	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
12.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
12.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	-	UL LABEL				1
13	ZH-12101CG-02	-					1
13.1	ZH-12101C-02	-	COVER, HINGED	PC	5VA	CLEAR	1
13.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
14	ZH-10F-01	-	MOUNTING FLANGE	PC	5VA	LIGHT GRAY	2




ZH-121004-04




ZH-121004-08

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	SCREWS-046		# 10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			4
2	SCREWS-047	-	# 10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
3	ZH-12101CG-01	-	HINGED COVER W/GASKET				1
3.1	ZH-12101C-01	-	COVER, HINGED	PC	5VA	LIGHT GRAY	1
3.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
4	ZH-10F-01	-	MOUNTING FLANGE	PC	5VA	LIGHT GRAY	2
5	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
5.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
5.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
5.3	LABEL-104	-	UL LABEL				1



ZH-121004-34

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	SCREWS-046		# 10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW	316 SST			4
12	SCREWS-047	-	# 10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
13	ZH-12101CG-02	-					1
13.1	ZH-12101C-02	-	COVER, HINGED	PC	5VA	CLEAR	1
13.2	ZH-1210G	-	GASKET	NEOPRENE		BLACK	1
14	ZH-10F-01	-	MOUNTING FLANGE	PC	5VA	LIGHT GRAY	2
15	ZH-12104BI-01	1	HINGED BASE W/INSERTS				1
15.1	ZH-12104B-01	-	BASE, HINGED	PC	5VA	LIGHT GRAY	1
15.2	INSERTS-4	-	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
15.3	LABEL-104	-	UL LABEL				1



ZH-121004-38

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-121004-34		MATERIAL		FLAME RATING -		SIZE C		SCALE: 1:2.5		SHEET 8 OF 8	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-121004		DRAWN CHECKED		NAME D.M.F.		DATE 5/6/2020 12/31/2999		HINGED ENCLOSURE		REV -			