



0			Douglas French	9-3-2024	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010	PART NO. ZH-141204-01 MATERIAL	polycase 1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088			HINGED ENCLOSURE	REV 0
REV.	COMMENT	ZONE	REVISED BY	CREATION DATE	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-141204	FLAME RATING -	SIZE C	NAME D.M.F.	DATE 09/03/2024	SCALE: 1:3	SHEET 1 OF 14
REVISIONS						DRAWN CHECKED					

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY 4
2	ZH-01L	0	LATCH ASSEMBLY	304SS		2
3	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY 4
4	ZH-14124BI-01	0	HINGED BASE W/INSERTS			1
4.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY 1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
4.3	LABEL-104	0	UL LABEL			1
5	ZH-14121CG-01	1	HINGED COVER W/GASKET			1
5.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY 1
5.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK 1
6	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW			4



ZH-141204-01

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY 4
12	ZH-01L	0	LATCH ASSEMBLY	304SS		2
13	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY 4
14	ZH-14124BI-01	0	HINGED BASE W/INSERTS			1
14.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY 1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
14.3	LABEL-104	0	UL LABEL			1
15	ZH-14121CG-02	1				1
15.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR 1
15.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK 1
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW			4




ZH-141204-05

8

7


6

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-141204-03

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14121CG-02	1					1
12.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8




ZH-141204-07




F

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
2	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
3	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
3.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
3.3	LABEL-104	0	UL LABEL				1
4	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4





**ZH-141204-33**

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
12	SCREWS-047	0	# 10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
13	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
13.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
13.3	LABEL-104	0	UL LABEL				1
14	ZH-14121CG-02	1					1
14.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
14.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




**ZH-141204-37**




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010  PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-141204		PART NO. ZH-141204-02		<div>polycase</div> <div>1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233 440-934-0444 FAX: 440-934-0088</div>	
		MATERIAL			
		FLAME RATING			
		-			
DRAWN		NAME	DATE	SIZE	HINGED ENCLOSURE
CHECKED		D.M.F.	09/03/2024	C	0
			09/03/2024	SCALE: 1:3	
					SHEET 5 OF 14

F	BOM Table							
	ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
	1	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
	2	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
	3	ZH-01L	0	LATCH ASSEMBLY	304SS			2
	4	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
	5	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
	5.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
	5.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
	5.3	LABEL-104	0	UL LABEL				1
	6	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
	6.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
	6.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1



ZH-141204-02

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
13.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
13.3	LABEL-104	0	UL LABEL				1
14	ZH-14121CG-02	1					1
14.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
14.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
15	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-141204-06

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN: INCHES[mm]  
TOLERANCES: ANGULAR: ±2°  
TWO PLACE DECIMAL: ±.010  
THREE PLACE DECIMAL: ±.005  
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
POLYCASE. ANY REPRODUCTION IN PART  
OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF POLYCASE IS PROHIBITED.  
CAD FILE: ZH-141204

PART NO.  
ZH-141204-02

MATERIAL

FLAME RATING  
-

SIZE  
C

1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A.  
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

HINGED ENCLOSURE

DRAWN  
CHECKED

NAME  
D.M.F.

DATE  
09/03/2024


SCALE: 1:2.5

REV  
0

SHEET 6 OF 14




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8
2	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
2.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
2.3	LABEL-104	0	UL LABEL				1
3	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
3.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
4	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2



ZH-141204-04

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8
12	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
12.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
12.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
12.3	LABEL-104	0	UL LABEL				1
13	ZH-14121CG-02	1					1
13.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
13.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
14	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2



ZH-141204-08

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN: INCHES[mm]  
TOLERANCES: ANGULAR: ±2°  
TWO PLACE DECIMAL: ±.010  
THREE PLACE DECIMAL: ±.005  
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
POLYCASE. ANY REPRODUCTION IN PART  
OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF POLYCASE IS PROHIBITED.  
CAD FILE: ZH-141204

PART NO.  
ZH-141204-04

MATERIAL

FLAME RATING  
-

DRAWN  
CHECKED

NAME  
D.M.F.

DATE  
09/03/2024  
09/03/2024

SIZE  
C

SCALE: 1:2.5

1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.  
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088


polycase

HINGED ENCLOSURE

REV  
0


SHEET 7 OF 14

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
4	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-141204-34


BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14121CG-02	1					1
12.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
14	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-141204-38




BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY 4
2	ZH-01L	0	LATCH ASSEMBLY	304SS		2
3	ZH-14124BI-01	0	HINGED BASE W/INSERTS			1
3.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY 1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
3.3	LABEL-104	0	UL LABEL			1
4	ZH-14121CG-01	1	HINGED COVER W/GASKET			1
4.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY 1
4.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK 1
5	ZH-91F-01	2	MOUNTING FOOT	304SS		- 4
6	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST		4



ZH-141204-40

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY 4
12	ZH-01L	0	LATCH ASSEMBLY	304SS		2
13	ZH-14124BI-01	0	HINGED BASE W/INSERTS			1
13.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY 1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
13.3	LABEL-104	0	UL LABEL			1
14	ZH-14121CG-02	1	HINGED COVER W/GASKET			1
14.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR 1
14.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK 1
15	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST		4
16	ZH-91F-01	2	MOUNTING FOOT	304SS		- 4



ZH-141204-42

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN: INCHES[mm]  
TOLERANCES: ANGULAR: ±2°  
TWO PLACE DECIMAL: ±.010  
THREE PLACE DECIMAL: ±.005  
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
POLYCASE. ANY REPRODUCTION IN PART  
OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF POLYCASE IS PROHIBITED.  
CAD FILE: ZH-141204

PART NO.  
ZH-141204-40

MATERIAL

FLAME RATING  
-

SIZE  
C

DRAWN  
CHECKED

NAME  
D.M.F.

DATE  
09/03/2024  
09/03/2024

1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.  
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088


HINGED ENCLOSURE

REV  
0

SCALE: 1:2.5


SHEET 9 OF 14

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



ZH-141204-41

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14121CG-02	1					1
12.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
14	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




ZH-141204-43




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
5	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14121CG-02	1					1
12.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
14	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4
15	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4



ZH-141204-44




ZH-141204-45




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			2
3	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
3.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
3.3	LABEL-104	0	UL LABEL				1
4	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
4.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
4.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
5	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
13.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
13.3	LABEL-104	0	UL LABEL				1
14	ZH-14121CG-02	1					1
14.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
14.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
15	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4




ZH-141204-90




ZH-141204-92

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14121CG-02	1					1
12.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




ZH-141204-91



ZH-141204-93




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
1.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14121CG-01	1	HINGED COVER W/GASKET				1
2.1	ZH-14121C-01	1	COVER, HINGED	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4



ZH-141204-94

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14124BI-01	0	HINGED BASE W/INSERTS				1
11.1	ZH-14124B-01	0	BASE, HINGED	PC	UL94-5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14121CG-02	1					1
12.1	ZH-14121C-02	1	COVER, HINGED	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
14	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4



ZH-141204-95