



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-141406-01		MATERIAL	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-141406		FLAME RATING -	SIZE C	HINGED ENCLOSURE	REV 0
REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					
DRAWN CHECKED	NAME B.M.B.	DATE 5/10/2022	SCALE: 1:3		
SHEET 1 OF 4					

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
2	ZH-01L	0	LATCH ASSEMBLY	304SS			2
3	ZH-01F-01	0	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
4	ZH-14146BI-01	0	BASE W/INSERTS				1
4.1	ZH-14146B-01	0	BASE, HINGED	PC	5VA	LIGHT GRAY	1
4.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
4.3	LABEL-104	0	UL LABEL				1
5	ZH-14141CG-01	0	HINGED COVER W/GASKET				1
5.1	ZH-14141C-01	0	COVER, HINGED	PC	5VA	LIGHT GRAY	1
5.2	ZH-1414G	0	GASKET	NEOPRENE		BLACK	1
6	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-95P	0	HOLE PLUG	NYLON		LIGHT GRAY	4
12	ZH-01L	0	LATCH ASSEMBLY	304SS			2
13	ZH-01F-01	0	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
14	ZH-14146BI-01	0	BASE W/INSERTS				1
14.1	ZH-14146B-01	0	BASE, HINGED	PC	5VA	LIGHT GRAY	1
14.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
14.3	LABEL-104	0	UL LABEL				1
15	ZH-14141CG-02	0	HINGED COVER W/GASKET				1
15.1	ZH-14141C-02	0	COVER, HINGED	PC	5VA	CLEAR	1
15.2	ZH-1414G	0	GASKET	NEOPRENE		BLACK	1
16	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-141406

PART NO.
ZH-141406-01
MATERIAL

FLAME RATING
-

DRAWN	NAME	DATE
CHECKED	D.M.F.	12/15/2021
	B.M.B.	5/10/2022


polycase

1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

SIZE
C

SCALE: 1:2.5

HINGED ENCLOSURE



REV
0


SHEET 2 OF 4

8

7


6

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZH-14146BI-01	0	BASE W/INSERTS				1
1.1	ZH-14146B-01	0	BASE, HINGED	PC	5VA	LIGHT GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZH-14141CG-01	0	HINGED COVER W/GASKET				1
2.1	ZH-14141C-01	0	COVER, HINGED	PC	5VA	LIGHT GRAY	1
2.2	ZH-1414G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-01F-01	0	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-141406-03

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-14146BI-01	0	BASE W/INSERTS				1
11.1	ZH-14146B-01	0	BASE, HINGED	PC	5VA	LIGHT GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZH-14141CG-02	0	HINGED COVER W/GASKET				1
12.1	ZH-14141C-02	0	COVER, HINGED	PC	5VA	CLEAR	1
12.2	ZH-1414G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-01F-01	0	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8



ZH-141406-07

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: ZH-141406

PART NO.
ZH-141406-03

MATERIAL

FLAME RATING
-

DRAWN	NAME	DATE
CHECKED	D.M.F.	12/15/2021
	B.M.B.	5/10/2022

SIZE
C

SCALE: 1:2.5


HINGED ENCLOSURE

REV
0


SHEET 3 OF 4

1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

8			7		6			
BOM Table								
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.	
1	ZH-01F-01	0	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4	
2	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4	
3	ZH-14146BI-01	0	BASE W/INSERTS				1	
3.1	ZH-14146B-01	0	BASE, HINGED	PC	5VA	LIGHT GRAY	1	
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12	
3.3	LABEL-104	0	UL LABEL				1	
4	ZH-14141CG-01	0	HINGED COVER W/GASKET				1	
4.1	ZH-14141C-01	0	COVER, HINGED	PC	5VA	LIGHT GRAY	1	
4.2	ZH-1414G	0	GASKET	NEOPRENE		BLACK	1	
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4	



BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZH-01F-01	0	MOUNTING FOOT	PC	5VA	LIGHT GRAY	4
12	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
13	ZH-14146BI-01	0	BASE W/INSERTS				1
13.1	ZH-14146B-01	0	BASE, HINGED	PC	5VA	LIGHT GRAY	1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
13.3	LABEL-104	0	UL LABEL				1
14	ZH-14141CG-02	0	HINGED COVER W/GASKET				1
14.1	ZH-14141C-02	0	COVER, HINGED	PC	5VA	CLEAR	1
14.2	ZH-1414G	0	GASKET	NEOPRENE		BLACK	1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010		PART NO. ZH-141406-33		MATERIAL	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZH-141406		FLAME RATING -		SIZE C	
DRAWN CHECKED		NAME D.M.F. B.M.B.		DATE 12/15/2021 5/10/2022	
SCALE: 1:2.5		HINGED ENCLOSURE		REV 0	
SHEET 4 OF 4					