

SCALE 1 : 3.5

0			Douglas French	9-3-2024	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010	PART NO. ZQ-141204-13	polycase		1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088
REV.	COMMENT	ZONE	REVISED BY	CREATION DATE	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: ZQ-141204	FLAME RATING -	NAME D.M.F.	DATE 9/3/2024	1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088
REVISIONS						DRAWN CHECKED	-	9/3/2024	1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

polycase

JUNCTION ENCLOSURE


REV 0

SCALE: 1:3


SHEET 1 OF 10

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZQ-14124BI-01	0					1
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZQ-14121CG-01	1					1
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZQ-14124BI-01	0					1
11.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZQ-14121CG-02	1					1
12.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY	4
14	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8




ZQ-141204-13




ZQ-141204-17

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
1	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY 4
2	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS		4
3	ZQ-14124BI-01	0				1
3.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY 1
3.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
3.3	LABEL-104	0	UL LABEL			1
4	ZQ-14121CG-01	1				1
4.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY 1
4.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK 1
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW			4



**ZQ-141204-23**

BOM Table						
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color QTY.
11	ZH-01F-01	2	MOUNTING FOOT	PC	UL94-5VA	LIGHT GRAY 4
12	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS		4
13	ZQ-14124BI-01	0				1
13.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY 1
13.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360		12
13.3	LABEL-104	0	UL LABEL			1
14	ZQ-14121CG-02	1				1
14.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR 1
14.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK 1
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW			4




**ZQ-141204-27**






8			7		6		5	
BOM Table								
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.	
1	ZQ-14124BI-01	0					1	
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1	
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12	
1.3	LABEL-104	0	UL LABEL				1	
2	ZQ-14121CG-01	1					1	
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1	
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1	
3	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8	
4	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2	



**ZQ-141204-14**

4		3		2		1	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZQ-14124BI-01	0					1
11.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZQ-14121CG-02	1					1
12.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				8
14	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2



**ZQ-141204-18**


UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN: INCHES[mm]  
TOLERANCES: ANGULAR: ±2°  
TWO PLACE DECIMAL: ±0.10  
THREE PLACE DECIMAL: ±0.05  
PRINTED GRAPHICS: ±0.10  
PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
POLYCASE. ANY REPRODUCTION IN PART  
OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF POLYCASE IS PROHIBITED.  
CAD FILE: ZQ-141204

PART NO.  
ZQ-141204-14  
MATERIAL

polycase

1303 CHESTER INN PARKWAY AVE. OHIO 44011-1083 U.S.A.  
TEL: F-800-248-1233 FAX: 440-934-0088 FAX: 440-934-0088

FLAME RATING  
-


DRAWN	NAME	DATE	SCALE: 1:2.5 
CHECKED	D.M.F.	9/3/2024	

JUNCTION ENCLOSURE  
0


SHEET 5 OF 10

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZQ-14124BI-01	0					1
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZQ-14121CG-01	1					1
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
4	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
5	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZQ-14124BI-01	0					1
11.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZQ-14121CG-02	1					1
12.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	ZH-12F-01	1	MOUNTING FLANGE	PC	UL94-5VA	LIGHT GRAY	2
14	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
15	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4




ZQ-141204-24



ZQ-141204-28




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZQ-14124BI-01	0					1
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZQ-14121CG-01	1					1
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
4	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
5	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4




**ZQ-141204-41**

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZQ-14124BI-01	0					1
11.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZQ-14121CG-02	1					1
12.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4
14	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
15	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4




**ZQ-141204-43**

8			7		6		5	
BOM Table								
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.	
1	ZQ-14124BI-01	0					1	
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1	
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12	
1.3	LABEL-104	0	UL LABEL				1	
2	ZQ-14121CG-01	1					1	
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1	
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1	
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4	
4	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4	
5	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4	



ZQ-141204-44

4		3		2		1	
BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
11	ZQ-14124BI-01	0					1
11.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
11.3	LABEL-104	0	UL LABEL				1
12	ZQ-14121CG-02	1					1
12.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR	1
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
14	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4
15	ZH-91F-01	2	MOUNTING FOOT	304SS		-	4



ZQ-141204-45

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN: INCHES[mm]  
TOLERANCES: ANGULAR: ±2°  
TWO PLACE DECIMAL: ±.010  
THREE PLACE DECIMAL: ±.005  
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
POLYCASE. ANY REPRODUCTION IN PART  
OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF POLYCASE IS PROHIBITED.  
CAD FILE: ZQ-141204

PART NO.  
ZQ-141204-44

MATERIAL

FLAME RATING  
-

DRAWN  
CHECKED

NAME  
D.M.F.

DATE  
9/3/2024  
9/3/2024

SIZE  
C

SCALE: 1:2.5

HINGED ENCLOSURE

REV  
0


1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.  
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

SHEET 8 OF 10




BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZQ-14124BI-01	0					1
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZQ-14121CG-01	1					1
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	SCREWS-046	1.1	#10-32 X .75 PAN HEAD, PHILLIPS, 316SS, MACHINE SCREW				4

|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|




**ZQ-141204-91**




**ZQ-141204-93**

BOM Table							
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.
1	ZQ-14124BI-01	0					1
1.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1
1.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12
1.3	LABEL-104	0	UL LABEL				1
2	ZQ-14121CG-01	1					1
2.1	ZQ-14121C-01	1	COVER, JUNCTION	PC	UL94-5VA	LIGHT GRAY	1
2.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1
3	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4
4	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4

BOM Table									
ITEM NO.	PART NUMBER	Rev.	Description	Material	FlameRating	Color	QTY.		
11	ZQ-14124BI-01	0					1		
11.1	ZQ-14124B-01	0	BASE, JUNCTION	PC	UL94-5VA	GRAY	1		
11.2	INSERTS-4	0	SELF-TAPPING INSERT: 10-32 UNF X .296 LG.	BRASS 360			12		
11.3	LABEL-104	0	UL LABEL				1		
12	ZQ-14121CG-02	1					1		
12.1	ZQ-14121C-02	1	COVER, JUNCTION	PC	UL94V-0	CLEAR	1		
12.2	ZH-1412G	0	GASKET	NEOPRENE		BLACK	1		
13	SCREWS-049	0	10-32 X 3/8 PHILIPS, PAN, SST	SST			4		
14	SCREWS-047	0	#10-32 X .75 TAMPER-RESIST TORX BUTTON-HEAD SCREW	304SS			4		



ZQ-141204-94



ZQ-141204-95