

BOM Table					
ITEM NO.	PART NUMBER	Rev.	Description	Material	Default/QTY.
1	ZH-161407-01	-	HINGED ENCLOSURE		1
2	PK-164	-.03	POLE MOUNT KIT		1
2.1	SC-160	-.01	Strut Channel P4100SLPG	PRE-GALV STEEL	2
2.2	SW-001	-	Strut Channel Washer 1/4	304 SST	4
2.3	SCREWS-031		CR PHMS 0.25-20x0.75	SST	4
2.4	SCREWS-049		10-32 X 3/8 PHILIPS, PAN, SST	SST	4
2.5	W-002		WASHER #10 X .734 X .04	SST	4
2.6	SN-001	-	Strut Channel NUT 1/4-20	316 SST	4
2.7	CL-01	1	Hose Clamp, 2" to 12.25" ID, 30 in.-lbs. Max Torque	201 SST, ZINC SCREW	2

D

D

C


C

B

B

A

A




REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					

<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010</small>	PART NO. Z_-161407-PK		 <small>1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088</small>					
	MATERIAL							
<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: Z_-161407-PK</small>	FLAME RATING	SIZE B	ENCLOSURE W/POLE MOUNT KIT					
	<table border="1"> <tr> <th>NAME</th> <th>DATE</th> </tr> <tr> <td>D.M.F.</td> <td>1/6/2020</td> </tr> <tr> <td>B.M.B.</td> <td>1/16/2020</td> </tr> </table>	NAME	DATE	D.M.F.	1/6/2020	B.M.B.	1/16/2020	SCALE: 1:3
NAME	DATE							
D.M.F.	1/6/2020							
B.M.B.	1/16/2020							
			SHEET 1 OF 3					

BOM Table					
ITEM NO.	PART NUMBER	Rev.	Description	Material	QTY.
1	ZH-161407-01	-	HINGED ENCLOSURE		1
2	PK-164	-.03	POLE MOUNT KIT		1
2.1	SC-160	-.01	Strut Channel P4100SLPG	PRE-GALV STEEL	2
2.2	SW-001	-	Strut Channel Washer 1/4	304 SST	4
2.3	SCREWS-031		CR PHMS 0.25-20x0.75	SST	4
2.4	SCREWS-049		10-32 X 3/8 PHILIPS, PAN, SST	SST	4
2.5	W-002		WASHER #10 X .734 X .04	SST	4
2.6	SN-001	-	Strut Channel NUT 1/4-20	316 SST	4
2.7	CL-01	1	Hose Clamp, 2" to 12.25" ID, 30 in.-lbs. Max Torque	201 SST, ZINC SCREW	2

D
C
B
A

D
C
B
A





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010	PART NO. Z_-161407-PK		 <small>1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088</small>
	MATERIAL		
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: Z_-161407-PK	FLAME RATING	SIZE B	REV -
	DRAWN	NAME	DATE
	CHECKED	B.M.B.	1/16/2020
SCALE: 1:3		SHEET 2 OF 3	

REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
	REVISIONS				

8 7 6 5 4 3 2 1

D
C
B
A

D
C
B
A



SECTION A-A

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES [mm] TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.010 THREE PLACE DECIMAL: ±.005 PRINTED GRAPHICS: ±.010 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED. CAD FILE: Z_-161407-PK	PART NO. Z_-161407-PK		 <small>1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088</small>	REV								
	MATERIAL			-								
	FLAME RATING	SIZE B	ENCLOSURE W/POLE MOUNT KIT									
	<table border="1"> <thead> <tr> <th></th> <th>NAME</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>DRAWN</td> <td>D.M.F.</td> <td>1/6/2020</td> </tr> <tr> <td>CHECKED</td> <td>B.M.B.</td> <td>1/16/2020</td> </tr> </tbody> </table>		NAME	DATE	DRAWN	D.M.F.	1/6/2020	CHECKED	B.M.B.	1/16/2020	SCALE: 1:2.5	 SHEET 3 OF 3
	NAME	DATE										
DRAWN	D.M.F.	1/6/2020										
CHECKED	B.M.B.	1/16/2020										

8 7 6 5 4 3 2 1