

8

7

6

5

4


3


2

1

BOM Table

ITEM NO.	PART NUMBER	Rev.	Description	Material	DR-50/QTY.	DR-52/QTY.	DR-54/QTY.	DR-56/QTY.	DR-58/QTY.	DR-60/QTY.	DR-62/QTY.
1	DR-12R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	-	-	1	-	-	-	-
2	DR-16R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	-	1	-	-	-	-	-
3	DR-20R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	1	-	-	-	-	-	-
4	DR-22R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	-	-	-	1	-	-	-
5	DR-24R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	-	-	-	-	1	-	-
6	DR-26R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	-	-	-	-	-	1	-
7	DR-28R	-	DIN RAIL 35mmX7.5mm PER DIN EN 60715	STEEL	-	-	-	-	-	-	1
8	SCREWS-013	-	10-16 X 3/8 TYPE AB PHILLIPS PAN HEAD SCREW	STEEL	2	2	2	2	2	2	2





UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES [mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.

CAD FILE: DR-xx

PART NO.
DR-xx

MATERIAL

FLAME RATING

DRAWN
D.M.F.
6/25/2014

CHECKED
B.M.B.
7/10/2014

NAME
DATE

SIZE
B

DIN RAIL KIT

REV
-

1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088

SCALE: 1:1



SHEET 2 OF 2

REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					

8

7

6




5

4

3

2

1



	A	B
DR-10R	21.5	100.0
DR-12R	21.5	175.0
DR-14R	9.0	225.0
DR-16R	21.5	125.0
DR-18R	21.5	150.0
DR-20R	21.5	75.0
DR-22R	21.5	225.0
DR-24R	21.5	275.0
DR-26R	21.5	325.0
DR-28R	21.5	375.0
DR-30R	21.5	250.0

NOTES:
1. FINISH: ZINC PLATED

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: mm TOLERANCES: ANGULAR: ±2° TWO PLACE DECIMAL: ±.5 THREE PLACE DECIMAL: ±.5 PRINTED GRAPHICS: ±.						PART NO. DR-xxR			polycase 1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A. PH#: 1-800-248-1233, 440-934-0444 FAX#: 440-934-0088									
						MATERIAL STEEL												
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.						FLAME RATING			SIZE A	DIN RAIL 35mmX7.5mm PER DIN EN 60715			REV -					
CAD FILE: DR-xxR						DRAWN		NAME		DATE		SCALE: 1:1					SHEET 1 OF 1	
						CHECKED		D.M.F.		5/27/2014								
REV.		DESCRIPTION				ZONE	BY	APPR'D	DATE									
REVISIONS																		


5

4


3

2


1




DR-WH-02




DR-WH-06



DR-WH-10



DR-WH-08



DR-WH-18

BOM Table								
ITEM NO.	PART NUMBER	Rev.	Description	DR-WH-02/QTY.	DR-WH-06/QTY.	DR-WH-08/QTY.	DR-WH-10/QTY.	DR-WH-18/QTY.
1	WH-02-02	-.01	Hinged Nema Enclosure, Outdoor Use, with Flange Kit	1	-	-	-	-
2	WH-06-02	-	Hinged Nema Enclosure, Outdoor Use, with Flange Kit	-	1	-	-	-
3	WH-08-02	-	Hinged Nema Enclosure, Outdoor Use, with Flange Kit	-	-	1	-	-
4	WH-10-02	-	Hinged Nema Enclosure, Outdoor Use, with Flange Kit	-	-	-	1	-
5	WH-18-02	-	Hinged Nema Enclosure, Outdoor Use, with Flange Kit	-	-	-	-	1
6	DR-10	-	DIN RAIL KIT	1	-	-	-	-
7	DR-12	-	DIN RAIL KIT	-	1	-	-	-
8	DR-14	-	DIN RAIL KIT	-	-	1	-	-
9	DR-16	-	DIN RAIL KIT	-	-	-	2	-
10	DR-18	-	DIN RAIL KIT	-	-	-	-	1
11	DR-20	-	DIN RAIL KIT	-	-	-	-	1

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES(MM)
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: 1:200


PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
(CAD FILE: DR-ENCLOSURE)

PART NO.
DR-ENCLOSURE
MATERIAL



FLAME RATING	SIZE
DRAWN CHECKED	D
NAME DATE	SCALE: 1:1
12/31/2022 12/31/2022	SHEET 1 OF 2

polycase
POLYCASE LLC, 10000 POLYCASE DRIVE, SUITE 100, AUSTIN, TEXAS 78758
PH: 1-800-260-1233, FAX: 512-444-7438, WWW.POLYCASE.COM


F
E
D
C
B
A




DR-Y_-060404



DR-Y_-060604




DR-Y_-080604




DR-Y_-080804


BOM Table												
ITEM NO.	PART NUMBER	Rev.	Description	DR-Y_-060404/QTY.	DR-Y_-060604/QTY.	DR-Y_-080604/QTY.	DR-Y_-080804/QTY.	DR-Y_-100804/QTY.	DR-Y_-121006/QTY.	DR-Y_-141206/QTY.	DR-Y_-161407/QTY.	
1	DR-50	-	DIN RAIL KIT	1	-	-	-	-	-	-	-	-
2	DR-52	-	DIN RAIL KIT	1	2	1	-	-	-	-	-	-
3	DR-54	-	DIN RAIL KIT	-	-	1	2	1	-	-	-	-
4	DR-56	-	DIN RAIL KIT	-	-	-	-	1	1	-	-	-
5	DR-58	-	DIN RAIL KIT	-	-	-	-	-	1	1	-	-
6	DR-60	-	DIN RAIL KIT	-	-	-	-	-	-	1	1	-
7	DR-62	-	DIN RAIL KIT	-	-	-	-	-	-	-	1	-
8	YQ-060404-14	-01		1	-	-	-	-	-	-	-	-
9	YQ-060604-13	-01		-	1	-	-	-	-	-	-	-
10	YQ-080604-13	-01		-	-	1	-	-	-	-	-	-
11	YQ-080804-13	-01		-	-	-	1	-	-	-	-	-
12	YQ-100804-13	-01		-	-	-	-	1	-	-	-	-
13	YQ-121006-13	-01		-	-	-	-	-	1	-	-	-
14	YQ-141206-13	-01		-	-	-	-	-	-	1	-	-
15	YQ-161407-13	-01		-	-	-	-	-	-	-	1	-




DR-Y_-141206



DR-Y_-121006



DR-Y_-100804



DR-Y_-161407

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN: INCHES[mm]
TOLERANCES: ANGULAR: ±2°
TWO PLACE DECIMAL: ±.010
THREE PLACE DECIMAL: ±.005
PRINTED GRAPHICS: ±.010

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
POLYCASE. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF POLYCASE IS PROHIBITED.
CAD FILE: DR-ENCLOSURE

PART NO.
DR-ENCLOSURE

MATERIAL

FLAME RATING

SIZE
C

SCALE: 1:2.5

1305 CHESTER RD. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233, 440-934-0444 FAX: 440-934-0088

REV
-

SHEET 2 OF 2

REV.	DESCRIPTION	ZONE	BY	APPR'D	DATE
REVISIONS					

8 7 6 5 4 3 2 1